

International Components Corporation


215 McCormick Drive, Bohemia, NY 11716

Tel: 631-952-9595 Fax: 631-952-9597 www.icc107.com

1. MODEL: SR80X16VN-3W 2. Dimension & Weight Baffle Opening 19X39 mm Height Refer to drawing Weight 6.4 Grams 3. Magnet Materials Rare Earth Size 11.5	lei: 631-952-9595 Fax: 631-952-9597 www.icc107.com			
Baffle Opening 19X39 mm Height Refer to drawing Weight 6.4 Grams	1.	MODEL:	SR80X16VN-3W	
Height Refer to drawing Weight 6.4 Grams	2	Dimension & Weight	Outer Diameter 40X20 mm	
Magnet Materials Rare Earth Size 11.5 x 1.5 mm			Baffle Opening 19X39 mm	
Nominal Impedance			Height Refer to drawing Weight 6.4 Grams	
5. Power Rating Normal 3.0 Watts Maximum 4.0 Watts Sine Wave. 6. Resonant Frequency 600 ± 20 % Hz. 7. Output Sound Pressure Level (S.P.L.) 87 ± 3 db/ 1.0 Watt 0.5 Meter 8. Frequency Range FO ~ 13000 Hz. Average SPL − 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Watt 0.5 Meter 10. Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11. Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. 12. Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13. High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14. Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15. Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16. Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17.	3	Magnet	Materials Rare Earth Size 11.5 mm	
Normal Watts Maximum Watts Square Wave. 6. Resonant Frequency 600 ± 20 % Hz. 7. Output Sound Pressure Level (S.P.L.) 8. Frequency Range FO ~ 13000 Hz. Average SPL - 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Watt 0.5 Meter 10 Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11 Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. 12 Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14 Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16 Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	4.	Nominal Impedance	8 Ω \pm 15 %, On ohm Meter.	
6. Resonant Frequency Cutput Sound Pressure Level (S.P.L.) Average at 800, 1000, 1200, 1500 Hz. 8. Frequency Range FO ~ 13000 Hz. Average SPL - 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Watt 0.5 Meter 10 Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11 Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. 12 Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + "or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14 Low Temperature + 60 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) Torop test 75 CM free falling on Concrete floor, 10 times. (GB2423.8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	5.	Power Rating	Normal 3.0 Watts Maximum 4.0 Watts Sine Wave.	
7. Output Sound Pressure Level (S.P.L.) Average at 800, 1000, 1200, 1500 Hz. 8. Frequency Range FO ~ 13000 Hz. Average SPL - 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Wat: 0.5 Meter 10 Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11 Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. 12 Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14 Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16 Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423.8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.			Normal Watts Maximum Watts Square Wave.	
Average at 800, 1000, 1200, 1500 Hz. 8. Frequency Range FO ~ 13000 Hz. Average SPL - 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Wat: 0.5 Meter 10 Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11 Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. 12 Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14 Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16 Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423.8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	6.	Resonant Frequency	600 ± 20 % Hz.	
8. Frequency Range FO ~ 13000 Hz. Average SPL - 10 db. 9. Distortion 5 % Maximum At 1000 Hz. 1.0 Wat: 0.5 Meter 10 Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11 Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9 Volts. (RMS.) 96 Hours. 12 Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14 Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16 Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423.8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	7.	Output Sound Pressure	87 ± 3 db/ 1.0 Watt- 0.5 Meter	
9. Distortion 5. % Maximum At 1000 Hz. 1.0 Wat: 0.5 Meter 10. Abnormal Sound test Must be Normal Tested By 4.9 Volts. Sine Wave. 11. Load Test Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9 Volts. (RMS.) 96 Hours. 12. Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13. High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) 14. Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) 15. Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16. Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17. Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423.8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.		Level (S.P.L.)	Average at 800, 1000, 1200, 1500 Hz.	
Must be Normal Tested By 4.9 Volts. Sine Wave. Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9Volts. (RMS.) 96 Hours. Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the "+ " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) Low Temperature − 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) Topo test 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	8.	Frequency Range	FO ~ 13000 Hz. Average SPL - 10 db.	
Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9 Volts. (RMS.) 96 Hours. Polarity Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test High Temperature + 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81) Low Temperature - 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81) Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) Topo test 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	9.	Distortion	5 % Maximum At 1000 Hz. 1.0 Wat: 0.5 Meter	
Diaphragm shall move Forward while Apply a Positive DC Signal to the " + " or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature	10	Abnormal Sound test	Must be Normal Tested By 4.9 Volts. Sine Wave.	
" or " Marked " Terminal. Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996 Mechanical and vibration test 13 High Temperature	11	Load Test	Pink noise with HPF (High Pass Filter 235HZ-3db/Oct) 4.9 Volts. (RMS.) 96 Hours.	
Mechanical and vibration test13High Temperature+ 60 ± 2 °CHumidity Random for 96 Hours. (GB2423.2-81)14Low Temperature- 25 ± 2 °CHumidity Random for 96 Hours. (GB2423.1-81)15Humidity+ 40 ± 2 °CRelative Humidity (RH) 90 ~ 95 % 48 Hours.16VibrationFrequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89)17Drop test75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81)After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-testMeasurement, and meet above spec. item 6. 7. 8. 9. 10.	12	Polarity		
High Temperature	Above Measuring condition under temperature: 25~35°C R.H. 25 ~75%. According to standard GB/T9396-1996			
14 Low Temperature	Mechanical and vibration test			
15 Humidity + 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours. 16 Vibration Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	13	High Temperature	+ 60 ± 2 °C Humidity Random for 96 Hours. (GB2423.2-81)	
Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89) 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	14	Low Temperature	− 25 ± 2 °C Humidity Random for 96 Hours. (GB2423.1-81)	
17 Drop test 75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81) After test leave speakers at room temperature for 1 hour, SPL shall not deviate by ± 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	15	Humidity	+ 40 ± 2 °C Relative Humidity (RH) 90 ~ 95 % 48 Hours.	
After test leave speakers at room temperature for 1 hour, SPL shall not deviate by \pm 3 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.	16	Vibration	Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. (GB11606.8-89)	
Measurement, and meet above spec. item 6. 7. 8. 9. 10.	17	Drop test	75 CM free falling on Concrete floor, 10 times. (GB2423. 8-81)	
	After test leave speakers at room temperature for 1 hour, SPL shall not deviate by \pm 3 db from pre-test			
18 Temperature Cycle test - 25 ~ + 60 °C 4 Cycles Temperature test. (GB5170.18-87)	Measurement, and meet above spec. item 6. 7. 8. 9. 10.			
	18	Temperature Cycle test	– 25 ~ + 60 °C 4 Cycles Temperature test. (GB5170.18-87)	
After test leave speakers at room temperature for 1 hour, SPL shall not deviate by \pm 4 db from pre-test Measurement, and meet above spec. item 6. 7. 8. 9. 10.				
Please refer to next pages for more detailed testing method.				

Test method and User precaution.

- 1. Characteristics measured according to standard GB/T 9396-1996
 - 1.1 Except other specified, measuring are under Temperature 15~35℃ R.H. 25 ~75%
 - 1.2. Judgement condition Temperature 20 ±2 R.H. 63~67%
 - 1.3 .Product shelf life is valid for 12 months only.
- 2. Output Sound Pressure Level (S.P.L.) and distortion testing setup



3. Environment & Mechanical test:

3.1 High Temperature: GB2423.2-81


After exposure the speaker in the \pm 60 \pm 2 °C chamber for 96 hours, then leave the speaker at room temperature for 1 hour, the SPL should not deviate by \pm 3 db, and resonant frequency should not deviate by \pm 50 Hz, compare with pre-test measurement.

3.2 Low Temperature: GB2423.1-81

After exposure the speaker in the -25 ± 2 °C chamber for 96 hours, then leave the speaker at room temperature for 1 hour, the SPL should not deviate by \pm 3 db, and resonant frequency should not deviate by \pm 50 Hz, compare with pre-test measurement.

3.3 Temperature cycle: GB5170.18-87

After exposure the speaker in the chamber, temperature cycle setting as below shows, SPL should not deviate by \pm 4 db, and resonant frequency should not deviate by \pm 80 Hz, compare with pre-test measurement.



3.4 Humidity: GB5170.18-87

After exposure the speaker in the \pm 40±2 °C, relative humidity 90% ~ 95% chamber for 96 hours, then leave the speaker at room temperature for 6 hours, the SPL should not deviate by \pm 3 db, and resonant frequency should not deviate by \pm 50 Hz, compare with pre-test measurement.

3.5 Vibration: GB11606.8-89

Frequency 30 ± 15 Hz, Amplitude 1.5 mm for 3 Hours. After test, SPL shall not deviate by ±3 db from pre-test measurement,

3.6 Load test: GB/T 9396-1996


Speaker should not fail after apply 20 \sim 20K Hz pink noise with HPF rated power input (RMS), 96 hours. After test, SPL shall not deviate by ± 3 db from pre-test measurement,

3.7 Drop test: GB2423. 8-81

75 cm free falling on concrete floor, 10 times. After test, SPL shall not deviate by ± 3 db from pre-test measurement,

4. Mounting precaution

In order to keep speaker work normally, there shall leave enough free space for diaphragm moving, minimum distance required is marked in speaker mechanical drawing.



5. Measuring & standard referenced

Abstract from GB/T 9396-1996 and IEC 268-5:1989 methods of measurement for main characteristics of loud speakers.

5.1 Rated sine voltage.

It is stipulated by manufacturer, sine signal voltage that make speaker work continuously in rated frequency range, but the speaker wouldn't be damaged heartily or mechanically. The persist time of the voltage is 1 hour.

5.2 The rated sine power.

The rated sine power is corresponding with the rated sine voltage, its definition is U_s^2/R , Us indicates the maximum sin voltage, R indicates the rated impedance.

5.3 The rated noise power.


The rated noise power is corresponding with the rated noise voltage, its definition is U_n^2/R , Un indicates the rated noise voltage, R indicates the rated impedance.



International Components Corporation

215 McCormick Drive, Bohemia, NY 11716
Tel: 631-952-9595 Fax: 631-952-9597 www.icc107.com

SR80X16VN-3W VOL:2.83V[1W] DIS:0.5M



Current Curve: 0 X: 1000 Hz Y: 88.51 dB Time(Y/M/D H:M:S): 2005/12/20 5:20:23

